

iVMS-4500 (BlackBerry) Application Instruction

1. Device Requirement

BlackBerry Device & OS requirement:

Bold 9000 (OS 4.6)

Bold 9780 (OS 6.0)

Curve 8250


Storm 9530 (OS 5.0)

Desktop Manager: V4.7.0.37



2. Installation

2.1 Install Desktop manager software


2.2 Run the desktop manager software after you finish the installation,
select *App Loader*.




2.3 Click “Browse” to select the “.alx” file.



2.4 Next.




2.5 Click "Finish" to enter the mobile client installation.




3. Settings

3.1 Firewall Settings

Enter into [Options]:



Select [Security Options] menu:



Select [Firewall]:

- Security Options
- Advanced Security Options
- Encryption
- Firewall**
- Information
- Security Wipe
- S/MIME

Setup "FireWall" as [Disable]

Firewall

Status: Disabled ▾

Block Incoming Messages

| | | |
|--------------------------|-----------------------------|-----------|
| <input type="checkbox"/> | SMS | 0 blocked |
| <input type="checkbox"/> | MMS | 0 blocked |
| <input type="checkbox"/> | PIN | 0 blocked |
| <input type="checkbox"/> | BlackBerry Internet Service | 0 blocked |
| <input type="checkbox"/> | Enterprise email | 0 blocked |

Except messages from

- Contacts
- Specific addresses

3.2 Application Permission Settings





Enter into [Option] – [Applications]:

- Options
- About
- Advanced Options
- Applications**
- Auto On/Off
- AutoText
- Bluetooth
- Custom Dictionary
- Date/Time
- Language and Text Input
- Memory
- MMS
- Mobile Network ▼

Select [iVMS-4500]:

Applications: Third Party ▼

Find:

| | | |
|---|-------------------------------------|---------|
|  | BlackBerryQQ Tencent | 10.0.20 |
|  | GPS Demo Research In Motion Ltd. | 0.9 |
|  | Hello BlackBerry Developer | 1.0.0 |
|  | iVMS-4500 JBenchmark | 1.1 |

Click [Edit Permissions]:

iVMS-4500
Application Properties

Title: iVMS-4500
Version: 1.1
Vendor: JBenchmark

Delete Edit Permissions

Description: iVMS converted by Txt2Cod 1.0
Copyright: Copyright (c) 2006 Cheng Min
Installed: Jun 8, 2010 12:30 PM
Size: 358552 Bytes
Signature: This application is not signed

The default settings are

Permissions: iVMS-4500

RIM | MIDP groups | MIDP JSRs

+Connections Custom ▾

+Interactions Custom ▾

+User Data Allow ▾

Application Modules
iVMS

Change default settings into:

Permissions: iVMS-4500

RIM | MIDP groups | MIDP JSRs

+Connections Allow ▾

+Interactions Allow ▾

+User Data Allow ▾

Application Modules

iVMS

3.3 APN Settings

Enter into [Option] – [Advanced Options]:

Options

About

Advanced Options

Applications

Auto On/Off

AutoText

Bluetooth

Custom Dictionary

Date/Time

Language and Text Input

Memory

MMS

Mobile Network ▾

Select [TCP/IP] or [TCP]:

Advanced Options

Accessibility

Browser

Browser Push

Cell Broadcast Settings

Default Services

Enterprise Activation

GPS

Host Routing Table

Maps

Service Book

SIM Card

TCP/IP

Setup local wireless APN:

TCP/IP

APN Settings Enabled

APN:

APN Authentication Enabled

Username for APN: cmnet

Password for APN:

Notes: Please check with local service provider about APN username